



Shenzhen Oceanpower Eco Food Tech Co., Ltd.

Block C&D, 8/F., Bldg. F3.8, Tian'an Cyber Park, Chegongmiao, Shenzhen, China

Tel. +86-755-83897272 Fax +86-755-83300726 info@oceanpower.com

www.oceanpowerfood.com







SINCE 1998

# Your Reliable Ice Cream Partner

- Leading to cool happiness

www.oceanpowerfood.com









Based on the improvement of ice

2003

cream powder quality time after time, we introduced the German world-advance production and equipment.

# 2007

As the industry leader, We presided for the drafting of ice cream machine&ice cream powder national standard, improving the whole industry standardization.

# 2009

In order to meet the market needs, we moved to Heyuan manufacturing base, increased the output, renewed production equipment and introduced new quality management system.

Achieved SGS and **HACCP Food Security** recognition.

2010

Brought in an oversea dairy expert research team to develop a series of ice-cream powder and product certification system.

2014

### Begin to produce powder Now

Continuing to provide with high quality one-stop service to ice cream industry and retail clients; inviting you to create the best customer experience together

# **About Oceanpower**

2017

using the Spray Drying

flavor. A new page has

been turned.

Processing, which results

in longer shelf life and finer

Shenzhen Oceanpower Eco Food Tech Co., Ltd. with a 44,000 square meters factory in Heyuan, supported by over 800 employees, has been engaged in producing ice cream machines, ice cream powder, and ice cream wafer cones since 1998.

With continuous development and innovation over the past 20 years, Oceanpower today has grown into one of the largest enterprises in China, dedicated to providing customers with top quality and best value ice cream machines and ice cream powder.

Oceanpower products have obtained global recognition for the world class quality and service at competitive prices. By using world class equipment parts for better quality, like France Tecumseh Compressor, Germany Siemens Control System, Denmark Danfoss Expansion Valve, Oceanpower has been proudly chosen as the soft-serve equipment provider by many well-known food chains and stores such as 7-Eleven, ASDA, Pacifico,

With the strong belief in quality and innovation, Oceanpowr has got over 20 patented technologies and mature products for international market, cooperating with many domestic and overseas universities, such as KTH Royal Institute of Technology in Sweden. What's more, Oceanpower is also authorized to set the China National Standards of soft ice cream machines and soft ice cream powder.

ourselves constantly. Customers' satisfaction is our greatest wish.

# 1998

Founded in 1998, located in Gongming, Shenzhen, go into production; To be Chinese soft ice cream expert.










Yogurberry, as well as many chains in China.

Quality lives in each and every Oceanpower associates and is one thing we never compromise. We make great efforts to pursue better and surmount


# ► SOFT SERVE MACHINE

# A New Generation of Soft Serve Freezer Dual Control NE Series





# Advantages & Benefits



# **Dual Control System**

NE Series can be turned off separately, Two microprocessor controls separate control of each flavor and both sides can work separately. Siemens touch screen with displaying operating.



# **Stainless Steel Handle**

Strong stainless steel handle with Rebound pistons, Rebound pistons control ice cream making speed Automatic handles homing—press the handles and auto return back.



# **Upgraded Mixture Agitator**

Make the temperature of the mixture more uniform and have better liquidity. When the mix level is low, the Mix Low light will turn on to remind operator to add mix.



# **Optimized Gear Reducer**

Optimized gear reducer designs ensure ice cream taste and lower maintance cost.



# **Cooling System**

- 1. Increase the Gas-liquid separator (reduce the pipeline buffer, improve the cooling efficiency);
  2. Increase the high pressure needle
- valve (detect the high pressure); 3. Increase high pressure switch (protect the compressor and machine under high pressure);
- 4. Increase the sight glass (observe the cooling condition)



# Technical Data

Model	NE2430L
Flavors	2+1 mixed
Production Capacity	65L/H
Mix Hopper	2*12L
ylinder	2*2L
Power	4400W
Main Compressor	1.5HP/1.25HP *2(Dual control)
Cooling System	Air Cooled
Refrigerant	R404a
/oltage	220V 50/60Hz
let / Total Weight	229 /277 kg
Dimension	540*831*1470mm

# Bottom-Up-Tech™

The Independent pre-cooling chamber beneath will keep your mixture chill and fresh. Automatic mixture agitation will ensure you products' consistency before freezing.



# **Intelligent Control System**

A.A.T.I.S <sup>™</sup> is an user-friendly control system, it will monitor overall machine Rebound pistons, Rebound pistons performance and log unexpected deviations for easy maintenance.

Enable custom setting such as product viscosity, freezing temperature and product counts for smart business owners.



### **Stainless Steel Handle**

Strong stainless steel handle with control ice cream making speed Automatic handles homing—press the handles and auto return back.



### **New Beater with Retract Action**

The newly added retract action will create a full cycle of mixture movement inside the cylinder, this will ensure optimal ice-cream consistency and minimize waste.



### **New Vertical Ventilation System**

Ensure maximum space utilization and machine performance.

Smooth start-up and reboot, quiet operation; prolonged machine life.

Operation noise between 60-70 decibel.



# Bottom-Up-Tech™

The Independent pre-cooling chamber The ad beneath will keep your mixture chill pump and fresh. Automatic mixture agitation overrui will ensure you products' consistency before freezing.



# NE1115EL Soft Serve Machine

Tabletop , Bottom-Up-Tech™



### **Quick Freezing and Big Output**

With a new revolutionary TITAN™ freezing cylinder and the brilliant 1.5HP Embraco compressor, the first dispense requires only 8 - 10 minutes and 30 portions (60g/portion) can be dispensed continuously.

30%-60%

121 / 156kg

810\*380\*920mm



Tabletop Twin-Twist, Bottom-Up-Tech™



### **France Tecumseh Compressor**

Compressor increase ice cream hardness and ensure the service life of the machine.

	Model	NE1115EL
	Flavors	Single
CH P	<b>Production Capacity</b>	30L/H
2019 June 1981 24 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Main Compressor	1.5HP
11	Cylinder	2.5L*1 8L * 1
and the Lagrangian	Mix Hopper	8L * 1
orted Italy Gear Pump  adjustable imported Italy gear  o will produce a stable ice-cream  un between 30% - 60%.	Exhaust Direction	Vertical
	Power	1900W
	Voltage	220V 50Hz/60Hz
	Cooling	Air Cooled
	Refrigerant	R404a

Overrun

**Dimension** 

Net / Total Weight

Model	NE1415EL
Flavors	2 +1 mixed
<b>Production Capacity</b>	40L/H
Main Compressor	1.5HP
Cylinder	2L* 2
Mix Hopper	8.5L * 2
<b>Exhaust Direction</b>	Vertical
Power	2800W
Voltage	220V 50Hz/60Hz
Cooling	Air Cooled
Refrigerant	R404a
Overrun	30%-60%
Net / Total Weight	190 / 220kg
Dimension	566*890*970mm



# Advantages & Benefits



# **Double Systems**

Two microprocessor controls separate 1. Increase the Gas-liquid separator control of each flavor and both sides can work separately. Stainless steel spring handles-Automatic reset handles, effectively prevent outflow of the Ice cream during suspending.



# **Cooling System**

(reduce the pipeline buffer, improve the cooling efficiency);

2. Increase the high pressure needle valve (detect the high pressure);
3. Increase high pressure switch (protect the compressor and machine under high pressure);

4. Increase the sight glass (observe the cooling condition)



# **Upgraded Mixture Agitator**

Upgraded Mixture agitator: Make the temperature of the mixture more uniform and have better liquidity. Low-mix Alarm is to help remind you of the mix adding.

Not only can air tube make the high overrun, but also meet the different requirement;



# **Technical Data**

Model	DW138ETC
Stand	Floor
Flavors	2+1mixed (Dual Control)
Capacity	40L/H
Mix Hopper	2*12L
Cylinder	2*2L
Power	2800W
Main Compressor	1.5HP
Cooling System	Air Cooled
Refrigerant	R404a
Voltage	220V 50Hz / 60Hz
Net Weight	216kg
Dimension	540*770*1470mm

Floor Standing Twin Twist with Hopper Cooling



# **Functions centralization**

A new advanced system enables the operation easier . Be equipped with automatic, cleaning, sleep and other basic operating functions and a variety of alarm prompts.

### Mix Low Alarm & Air Tube

Low-mix Alarm is to help remind you of the mix adding; Not only can air tube make the high overrun, but also meet the different requirement;

Model	DW138TC
Flavors	2 +1 mixed
<b>Production Capacity</b>	38L/H
Mix Hopper	2*12L
Cylinder	2*2L
Power	2600W
Main Compressor	1.5HP
Cooling System	Air Cooled
Refrigerant	R404a
Options Air Pump	/ Handle / Mixture Agitato
Voltage	220V 50Hz/60Hz
Net / Total Weight	170 / 210kg
Dimension	540*770*1450mm

# DW150TC Soft Serve Machine

Floor Standing Twin Twist with Hopper Cooling



# **Upgraded Mixture Agitator**

Make the temperature of the mixture more uniform and have better liquidity.

# **Stainless Steel Spring Handles**

Stainless steel spring handles- Automatic reset handles, effectively prevent outflow of the Ice cream during suspending.

Model	DW150TC
Flavors	2+1 mixed
Production Capacity	50L/H
Mix Hopper	2*12L
Cylinder	2*2L
Power	3000W
Main Compressor	2HP
Cooling System	Air Cooled
Refrigerant	R404a
Options	Air Pump
Voltage	220V 50Hz/60Hz
Net / Total Weight	175 / 225.5kg
Dimension	540*770*1450mm

# DW132ETC Dual Control Systems Soft Serve

Tabletop Twin-Twist with Hopper Cooling



### Tabletop Twin-Twist with Hopper Cooling

DW132TC



Soft Serve Machine

# **Dual Control Systems**

Two microprocessor controls separate control of each flavor and both sides can work separately.

# **Upgraded Mixture agitator**

Make the temperature of the mixture more uniform and have better liquidity.

# **Optimized Gear Reducer**

Optimized gear reducer designs ensure ice cream taste and lower maintance cost.

Model	DW132ETC
Flavors	2+1 mixed (Dual Control)
<b>Production Capacity</b>	40L/H
Mix Hopper	2*12L
Cylinder	2*2L
Power	2800W
Main Compressor	1.5HP
Cooling System	Air Cooled
Refrigerant	R404a / R134a
Voltage	220V 50Hz/60Hz
Net / Total Weight	178 / 198kg
Dimension	828*536*814mm

# Mix Low Alarm & Air Tube

Low-mix Alarm is to help remind you of the mix adding; Not only can air tube make the high overrun, but also meet the different requirement;

Model	DW132TC
Flavors	2+1 mixed
<b>Production Capacity</b>	32L/H
Mix Hopper	2*12L
Cylinder	2*2L
Power	2200W
Main Compressor	1.25HP
Cooling System	Air Cooled
Refrigerant	R404a
Options	Air Pump
Voltage	220V 50Hz/60Hz
Net / Total Weight	146 / 175kg
Dimension	530*750*950mm

09 | www.oceanpowerfood.com | 10

# GET TASTE OF QUALITY

# Advantages & Benefits



# **Functions centralization**

A new advanced system enables the operation easier. Be equiped with automatic, cleaning, sleep and other basic operating functions and a variety of alarm prompts. Rebound pistons—control ice cream making speed Automatic handles homing—press the handles and auto return back.



# **Cooling System**

1. Increase the Gas-liquid separator (reduce the pipeline buffer, improve the cooling efficiency);

2. Increase the high pressure needle valve (detect the high pressure);

3. Increase high pressure switch (protect the compressor and machine under high pressure);

4. Increase the sight glass (observe the cooling condition)



# Mix Low Alarm & Air Tube

Low-mix Alarm is to help remind you of the mix adding; Not only can air tube make the high overrun, but also meet the different requirement;



# **Technical Data**

Model	OP138	OP145
Stand	Floor	Floor
Flavors	2+1mixed	2+1mixed
Capacity	38L/H	45L/H
Mix Hopper	2*12L	2*12L
Cylinder	2*2L	2*2L
Power	2500W	2600W
Main Compressor	1.25HP	1.5HP
Cooling System	Air Cooled	Air Cooled
Refrigerant	R404a	R404a
Voltage	220V 50Hz /60Hz	380V 50Hz
Options	Pre-Cooling / Air Pump / Stainless Steel Shell	Pre-Cooling / Air Pump / Stainless Steel Shell
Net / Total Weight	166 / 189.5kg	160 / 183.5kg
Dimension	555*735*1335mm	555*735*1335mm



### Mix Low Alarm & Air Tube

The low liquid alarm light will be on when the hopper is lack of ice cream mix. Not only can air tube make the high overrun, but also meet the different requirement;



# Mix Low Alarm & Air Tube

The low liquid alarm light will be on when the hopper is lack of ice cream mix. Not only can air tube make the high overrun, but also meet the different requirement;

Model	OP130
Model	OP130
Flavors	2+1 mixed
<b>Production Capacity</b>	30L/H
Mix Hopper	2*6.5L
Cylinder	2*2L
Power	2000W
Main Compressor	1.25HP
Cooling System	Air Cooled
Refrigerant	R404a
Options	Pre-Cooling / Air Pump / Stainless Steel Shell
Voltage	220V 50Hz/60Hz
Net / Total Weight	136 / 170kg
Dimension	555*735*947mm

Model	OP132BA
Flavors	2+1 mixed
<b>Production Capacity</b>	32L/H
Mix Hopper	2*6.5L
Cylinder	2*2L
Power	2500W
Main Compressor	1.25HP
Cooling System	Air Cooled
Refrigerant	R404a
Options	Air Pump
Voltage	220V 50Hz/60Hz
Net / Total Weight	146 / 180kg
Dimension	530*750*950mm

# OP125C

Floor Standing Twin Twist with Hopper Cooling

**Economic Soft Serve Machine** 

OP125CT

Tabletop Twin-Twist with Hopper Cooling



# **Reliable compressors**

Reliable cubigel compressors; Green cooling, Reduce energy consumption; Quick freezing, High efficiency; Quiet operation, Stable operation.

### **Electronic Air Pump (Options)**

Grand mix with more air to a softer and smoother ice cream, saving cost of mixture material.



**Economic Soft Serve Machine** 

# Reliable compressors


Reliable cubigel compressors; Green cooling, Reduce energy consumption; Quick freezing, High efficiency; Quiet operation, Stable operation.

### **Electronic Air Pump (Options)**

Grand mix with more air to a softer and smoother ice cream, saving cost of mixture material.

Model	OP125C
Flavors	2 +1 mixed
Production Capacity	25L/H
Mix Hopper	2*6.5L
Cylinder	2*1.5L
Power	2000W
Main Compressor	1HP
Cooling System	Air Cooled
Refrigerant	R404a
Options	Electronic Air Pump
Voltage	220V 50Hz/60Hz
Motor	1100W
Net / Total Weight	132 / 171kg
Dimension	484 *582*1320mm

Model	OP125CT
Flavors	2+1 mixed
<b>Production Capacity</b>	25L/H
Mix Hopper	2*6.5L
Cylinder	2*1.5L
Power	2000W
Main Compressor	1HP
Cooling System	Air Cooled
Refrigerant	R404a
Options	Electronic Air Pump
Voltage	220V 50Hz/60Hz
Motor	1100W
Net / Total Weight	120 / 158kg
Dimension	484 *716*888mm



# Advantages & Benefits



# Microprocessor Regulation

Regulates the entire refrigeration process and maintains consistent product viscosity, adjustable through modifying viscosity between level 1 and level 8 on the front panel.



# **Imported Compressor**

Imported Danfoss compressor, Safe and save energy, eco-friendly High efficiency for freezing, Quiet operation



# **Integrated Design**

Compact design with integrated geared motor, The concept makes this model more compact, thus maximizing savings in customer stores Surface space



# Mix Low Alarm & Air Tube

The low liquid alarm light will be on when the hopper is lack of ice cream mix. Not only can air tube make the high overrun, but also meet the different requirement;



# **Technical Data**

Model	SUNNY A18	
Flavors	Single	
Capacity	18L/H	
Mix Hopper	6.5L	
Cylinder	2L	
Power	1000W	
Main Compressor	0.75HP	
Cooling System	Air Cooled	
Refrigerant	R404a	
Options	Air Pump	
Voltage	220V 50Hz / 60Hz	
Net / Total Weight	107 / 139kg	
Dimension	347*700*810mm	



# Advantages & Benefits



# **Upgraded Cylinder**

Upgraded cylinder is optional which could shorten the cooling time at least 30%.



# **Strong Stainless Steel Beater**

Strong stainless steel dasher with floated blade cutter results in perfect fit with cylinder wall, make it more efficient in freezing and improve the smoothness of the finished product.



### **Easy Cleaning**

The Water nozzle is located on the front panel of the machine for easy cleaning of the cylinder and the chute. The water nozzle can also be locked to facilitate handling during use.



# **Microprocessor Regulation**

Adjustable hard button between level 1 and level 5; on the front panel can fine-tune; Optimal serving temperature and viscosity;



# Water Cooled (Only OPH76)

- 1. Water inlet
- 2. Cleaning water pipe
- 3. Water outlet



# **Enjoy Endless Delicious**

To maintain the consistency of the gelato during extraction, It can produce Italian Gelato, Sorbet, Slush, Frozen Mousse etc.



# **Technical Data**

Model	OPH42	OPH76
Production Capacity	42L/H	76L/H
Cylinder	8L	16L
Compressor	1.5HP	2HP
Cooling System	Air Cooled	Water Cooled
Power	2500W	3500W
Refrigerant	R404a	R404a
Voltage	220V 50Hz/60Hz, 380V 50Hz	220V 50Hz/60Hz, 380V 50Hz
Net Weight	171kg	225kg
Total Weight	215kg	261kg
Dimension	520*830*1310mm	570*820*1260mm

17 | www.oceanpowerfood.com | 18

# ► PASTEURIZER MACHINE



# **Stainless Steel Mixer**

High Performance Stainless Steel Mixer, with various beating speed, fully achieve homogenization by strongly discompose solid, help improve pasteurizing and ageing.

Mix-Outlet Valve Integrated with humanity design, this stainless steel mix-out valve can control the mix-out speed accurately. Guarantee hygiene and no residual of mix. Easy to discharge and clean, save labor.







# Technical Data

Model	OPA61	
Tank	61L	
Batch Time	3h	
Power	5400W	
Main Compressor	3HP	
Voltage	220V 50Hz/60Hz, 380V 50Hz	
Cooling	Water-Cooled	
Heating Target Temperature	85℃	
Cooling Target Temperature	6℃	
Net / Total Weight	226.5 / 274.5kg	
Dimension	730*1225*1087mm	

# ► ICE CREAM ACCESSORIES



Ice Cream Cone Lamp (Remote Control)

Size: 550mm (DIA) X 1630mm (H) Voltage: 110V~240V 50Hz 60Hz



# Ice Cream Cones Dispensers & Holders

Easily mounts onto the side shell of machines and Keeps cones fresh and protects them from breaking.



# Ice Cream Cone Lamp

Size: 455mm (DIA) X 1231mm (H) Voltage: 110V~240V 50Hz 60Hz



# **Ice Cream Caps**

More Flavors, More Choices

# ► SOFT ICE CREAM POWDER

Cost-effective soft serve ice cream premix! Premium in taste, and high yield.





### **Classical Series**

Flavors: Milk, Strawberry, Vanilla, Chocolate Specification: 1.5kg \* 12bags / box Shelf life: 12 months



Strawberry







Milk

Chocolate Vanilla



# **Premium Series**

Flavors: Original, Chocolate, Matcha Specification: 1.5kg \* 12bags / box Shelf life: 18 months







Chocolate

Matcha

Original



### Imported Australia

Flavors: Hokkaido Milk, Belgium Chocolate Specification: 1kg \* 12bags / box

Shelf life: 18 months





Hokkaido Milk

Belgium Chocolate



### Gelinao (Gold)

Flavors: Strawberry, Matcha, Vanilla Specification: 1kg \* 12bags / box Shelf life: 12 months







Strawberry

Matcha

Vanilla



### Gelinao (Silver)

Flavors: Strawberry, Original, Chocolate, Vanilla, Hypoglycemic, Blueberry sea salt Specification: 1kg \* 12bags / box Shelf life: 12 months













Strawberry Original Chocolate Vanilla Hypoglycemic Blueberry



# Ice King

Flavors: Strawberry, Chocolate, Vanilla Specification: 1kg \* 12bags / box Shelf life: 12 months







Strawberry Chocolate

Vanilla



# **Colorful Snow**

Flavors: Pineapple, Strawberry, Cantaloupe, Blueberry, Apple, Chocolate, Vanilla, Taro, Original Specification: 1kg \* 12bags / box

Shelf life: 12 months













Apple



Original

Pineapple Strawberry Cantaloupe Blueberry

Chocolate

# ► FROZEN YOGURT POWDER





# Extar Premium (Yogurt)

Flavors: Original Specification: 1kg \* 12bags / box Shelf life: 12 months



# Imported Australia

Flavors: Original Specification: 1kg \* 12bags / box Shelf life: 18 months

# ► HARD ICE CREAM POWDER

Oceanpower Gelato Powder meets the requirements of ice-cream shop, coffee,

restaurant... It will serve you delicious , savour you to the full.















Original

Vanilla

Strawberry

Mango







Chocolate

Apple

Cantaloupe

Pineapple



Taro


F	avors	

Original, Vanilla, Strawberry, Mango, Chocolate, Apple, Cantaloupe, Pineapple, Taro

**Packing Specification** Shelf life

1kg \* 12bags / box

12 months



# **OUR PARTNERS**

We make great efforts to pursue better and surmount ourselves constantly. Customers' satisfaction is our greatest wish.















































